

Polynomial Chaos Expansion method as a tool to evaluate and quantify field homogeneities of a novel waveguide RF Wien filter

J. Slim^a, F. Rathmann^{b,*}, A. Nass^b, H. Soltner^d, R. Gebel^b, J. Pretz^{c,e}, D. Heberling^{a,e}

^a Institute of High-Frequency Technology, Rheinisch-Westfälische Technische Hochschule Aachen, 52074 Aachen, Germany

^b Institute of Nuclear Physics (IKP), Forschungszentrum Jülich GmbH, 52428 Jülich, Germany

^c III. Physikalisches Institut B, Rheinisch-Westfälische Technische Hochschule Aachen, 52056 Aachen, Germany

^d Central Institute of Engineering and Analytics (ZEA), Forschungszentrum Jülich GmbH, 52428 Jülich, Germany

^e JARA-FAME (Forces and Matter Experiments), Forschungszentrum Jülich and RWTH Aachen University, 52056 Aachen, Germany

ARTICLE INFO

Keywords:

Waveguide RF Wien filter
Polynomial Chaos Expansion
Least-angle regression
Homogeneous electromagnetic field
Lorentz force compensation
Uncertainty quantification
Sensitivity analysis

ABSTRACT

For the measurement of the electric dipole moment of protons and deuterons, a novel waveguide RF Wien filter has been designed and will soon be integrated at the COoler SYNchrotron at Jülich. The device operates at the harmonic frequencies of the spin motion. It is based on a waveguide structure that is capable of fulfilling the Wien filter condition ($\vec{E} \perp \vec{B}$) *by design*. The full-wave calculations demonstrated that the waveguide RF Wien filter is able to generate high-quality RF electric and magnetic fields. In reality, mechanical tolerances and misalignments decrease the simulated field quality, and it is therefore important to consider them in the simulations. In particular, for the electric dipole moment measurement, it is important to quantify the field errors systematically. Since Monte-Carlo simulations are computationally very expensive, we discuss here an efficient surrogate modeling scheme based on the Polynomial Chaos Expansion method to compute the field quality in the presence of tolerances and misalignments and subsequently to perform the sensitivity analysis at zero additional computational cost.

1. Introduction and motivation

The results of simulated electromagnetic models and the real fabricated systems may differ. Not every single detail can be included in the electromagnetic model due to the finite computational capacity. Assumptions are made and some aspects of the real-world model are ignored. The electromagnetic models themselves are error-prone, depending for instance on the number of mesh cells and discretization uncertainties.

Fabrication processes, with their inherent mechanical uncertainties, have an impact on the actual electromagnetic response. Waveguides are one example of such systems; the electromagnetic modes are influenced as a result of the mechanical uncertainties. The RF Wien filter recently designed is based on a parallel-plates waveguide [1]. This waveguide is subject to stochastic mechanical variations. Unfortunately, analytic solutions for the fields resulting from a complex structure such as the RF Wien filter do not exist. Approximation methods such as perturbation theory for instance [2] cannot be applied to tackle tolerance problems, therefore numerical solutions are applied to quantify the uncertainties.

The classical Monte-Carlo (MC) approach requires the calculation

of a large number of responses corresponding to a set of uncertain parameters. Basically, Monte-Carlo methods converge slowly in the sense that they require a substantial number of simulations (typically of the order of 10^4 to 10^5) to provide a reliable estimate of the system performance. We rely on a commercially available software to simulate the RF Wien filter.¹ In the case where the model evaluation requires full-wave simulations of a complex electromagnetic structure such as the RF Wien filter, the Monte-Carlo approach cannot be used because of the long time required for each simulation.

The proposed method in this study is primarily based on the so-called Polynomial Chaos Expansion (PCE). The aim is to build a surrogate mathematical model that requires only a small number of model evaluations to reconstruct the response of the RF Wien filter in terms of the field homogeneity. Surrogate modeling is one possible solution that is feasible and which provides a reliable method to quantify uncertainties and provides a sensitivity analysis at zero additional cost. The PCE method has been used in many engineering applications, such as modeling uncertainties in electric motors [3], and also in accelerator science [4].

This paper is organized as follows: Section 2 describes the motivation and the requirements for the proposed modeling scheme. Section 3

* Corresponding author.

¹ CST Microwave Studio – Computer Simulation Technology AG, Darmstadt, Germany, <http://www.cst.com>.




Fig. 1. CAD design model of the RF Wien filter, showing the parallel-plates waveguide and the support structure (Figure taken from [1]). The coordinate system used for the design calculations is indicated. The stored beam moves along the z -axis of the RF Wien filter. 1: beam position monitor (BPM); 2: copper electrodes; 3: vacuum vessel; 4: clamps to hold the ferrite structure; 5: belt drive for 90° rotation; 6: ferrite structure; 7: CF160 rotatable flange; 8: support structure of the electrodes; 9: inner support tube.

describes the considered electromagnetic field uncertainties. Section 4 briefly introduces the PCE theory and describes the mathematical formulation necessary for the purpose of this paper. Section 5 shows the application of the PCE theory and how it can be used to quantify the quality of the electric and magnetic fields. To conclude the analysis, Section 6 reports about the global PCE-based sensitivity analysis, and in Section 7 results are summarized. Four appendices can be found at the end of the paper. Appendix A explains the construction of the univariate and multivariate Hermite orthogonal polynomials (basis), and Appendix B clarifies and validates the theory with a simple example. Appendix C discusses the employed PCE truncation scheme. Finally, Appendix D explains the least-angle regression method used in this paper.

2. Modeling mechanical uncertainties of the RF Wien filter

The RF Wien filter is based on a novel concept of a parallel-plates waveguide as shown in Fig. 1. The system consists of a transmission line composed of two conductors that supports the transverse electromagnetic (TEM) mode in the frequency range required by the electric dipole moment experiment (see [1]). The RF Wien filter requires an orthogonal electromagnetic field without components in the beam direction which is fulfilled by the TEM mode. The field quotient $Z_q = -E_x/H_y$ controls the Wien filter condition (see [1]), *e.g.*, for deuterons at 970 MeV/c, Z_q must be $\approx 173 \Omega$ to provide zero Lorentz force. To set Z_q to any particular value, the wave mismatch theory [5] has been used. This mismatch forces part of the electromagnetic field to be reflected back into the structure, thereby forcing a forward and backward propagation of fields. The fields sum up vectorially to produce the necessary field quotient. Together with the optimally shaped electrodes, a minimal integral Lorentz force can be ensured. A ferrite structure surrounds the electrodes to homogenize the magnetic field and to increase the magnetic field by 25% compared to a ferriteless solution.

As shown in Fig. 2, x_1 and x_2 represent the lengths of the upper and lower electrode, respectively. x_1 and x_2 are considered independent random variables. According to the information provided by the manufacturer [6], the electrodes can be produced with a fabrication tolerance of ± 0.1 mm, such that $x_{1,2} = 808.8 \pm 0.1$ mm. Statistically, x_1 and x_2 are modeled as Gaussian-distributed, independent random variables with a mean $\mu = 808.8$ mm and a standard deviation $\sigma = 0.1$ mm, abbreviated as $G(\mu, \sigma)$.

In reality, deviations from the ideal parallelism of the electrodes may occur which needs to be included in the field simulations. This is taken into account by allowing the two plates to rotate in the xy and xz plane (see Figs. 2 and 3 for coordinates). A rotation in the yz plane is




Fig. 2. Stochastic variation of the parameters of the waveguide RF Wien filter in the xz -plane. The solid grey lines represent the electrodes and the solid blue lines the ferrites. The shaded counterparts indicate the possible rotational displacements and misalignments. x_1 and x_2 model the random lengths while x_7 and x_8 model the random angular rotations of the electrodes in the xz -plane. x_{10} models the possible rotation of the ferrites. (For interpretation of the references to color in this figure caption, the reader is referred to the web version of this paper.)

less probable and is therefore not considered here². x_7 and x_8 represent the tilt angles of the possible rotations of the electrodes in the xz plane (see Fig. 2). The electrodes can also move independently with a rotational interval up to ± 1 mrad [6].

As shown in Fig. 3, the variation of the width of the electrodes (x_3 and x_4) and their rotation in the xy -plane (x_5 and x_6) are considered as well in the calculations. x_9 and x_{10} correspond to undesired rotations of the ferrite structure in the xy and the xz plane, respectively. All random variables may vary simultaneously. The statistical characteristics of the random variables considered here are listed in Table 1.

3. Electromagnetic field uncertainties

A full-wave simulation numerically solves Maxwell's equations in the RF Wien filter. The solution is expressed in terms of the electric and magnetic fields, $\vec{E}(\vec{r})$ and $\vec{H}(\vec{r})$, respectively.

The desired electric field should point into the x -direction, thus ideally produce $(E_x, 0, 0)$, while the magnetic field should point into the y -direction, $(0, H_y, 0)$. The unwanted field components are denoted by \vec{E}_\perp and \vec{H}_\perp and were defined in [1] as

$$\vec{E}_\perp = \begin{pmatrix} 0 \\ E_y \\ E_z \end{pmatrix}, \text{ and} \tag{1}$$

$$\vec{H}_\perp = \begin{pmatrix} H_x \\ 0 \\ H_z \end{pmatrix}. \tag{2}$$

The results for 1000 full-wave simulations are collected in Fig. 4, in terms of the magnitude of \vec{E}_\perp and \vec{H}_\perp . These simulations used the Gaussian distribution of the x_i ($i = 1, \dots, 10$), as given in Table 1, and the stochastic variations of the unwanted fields E_\perp and H_\perp are evaluated along the beam axis. Mechanical tolerances lead to deviations of the wave vector \vec{k} from its ideal direction along the beam axis. Such deviations generate unwanted fields. For instance E_\perp , shown in Fig. 4(a), can reach 30 V/m inside the RF Wien filter, while at the edges, a value 150 V/m is possible. The fields at the edges are approximately 5 times larger than the inner ones.

The magnetic fields \vec{H}_\perp , shown in Fig. 4(b), exhibit a different behavior. The unwanted fields at the edges have roughly twice the magnitude compared to the inner ones. Inner deviations reach up

² Each electrode is connected to the support structure via eight metallic screws. For a rotation to occur, all screws would have to be simultaneously misaligned which is unlikely.




Fig. 3. Stochastic variation of the parameters of the waveguide RF Wien filter in the xy -plane. The solid grey lines represent the electrodes and the solid blue lines the ferrite structure. The shaded counterparts indicate the possible rotational displacements and misalignments. x_3 and x_4 model the random widths of the electrodes while x_5 and x_6 model the random angles rotations of the electrodes in the xz -plane. x_9 models the possible rotation of the ferrites. (For interpretation of the references to color in this figure caption, the reader is referred to the web version of this paper.)

Table 1

Statistical distributions of the random variables representing the stochastic mechanical variations of the waveguide RF Wien filter. $G(\mu, \sigma)$ indicates a Gaussian distribution with a mean value of μ and a standard deviation of σ , in units of mm or mrad.

Variable	Description	Distribution	Unit
x_1	Length of the upper electrode	$G(808.8, 0.1)$	mm
x_2	Length of the lower electrode	$G(808.8, 0.1)$	mm
x_3	Width of the upper electrode	$G(182, 0.1)$	mm
x_4	Width of the lower electrode	$G(182, 0.1)$	mm
x_5	Rotation of the upper electrode in the (xy -plane)	$G(0, 1)$	mrad
x_6	Rotation of the lower electrode in the (xy -plane)	$G(0, 1)$	mrad
x_7	Rotation of the upper electrode in the (xz -plane)	$G(0, 1)$	mrad
x_8	Rotation of the lower electrode in the (xz -plane)	$G(0, 1)$	mrad
x_9	Rotation of the ferrite structure in the(xy -plane)	$G(0, 1)$	mrad
x_{10}	Rotation of the ferrite structure in the(xz -plane)	$G(0, 1)$	mrad

0.7 A/m in contrast to 1 A/m at the entrance and exit of the RF Wien filter. Uncertainties deform the cross-section of the waveguide at the entry and exit points of the Wien filter in an asymmetric manner, resulting in non-equidistant and non-parallel electrodes. This explains the non-uniformity and asymmetries of the field variations.

The field homogeneities, specified via $f_{E_L}^{int}$ and $f_{H_L}^{int}$ are calculated by taking into account the total fields (see [1]), which results in

$$f_{E_L}^{int} = \frac{\int_{-\ell/2}^{\ell/2} |\vec{E}_L| d\ell}{\int_{-\ell/2}^{\ell/2} |\vec{E}| d\ell} = \mathcal{Y}_E, \quad \text{and} \quad f_{H_L}^{int} = \frac{\int_{-\ell/2}^{\ell/2} |\vec{H}_L| d\ell}{\int_{-\ell/2}^{\ell/2} |\vec{H}| d\ell} = \mathcal{Y}_H. \quad (3)$$

The effective length of the RF Wien filter amounts to 1550 mm. In order to speed up the calculations, the integrals in Eq. (3) were evaluated for $\ell = 1152$ mm along the longitudinal axis of the RF Wien filter. The field contributions outside the considered length are very small (of the order of 10^4) and are not taken into account. In the following, the electric and magnetic fields homogeneities are denoted by \mathcal{Y}_E and \mathcal{Y}_H . These are the quantities that this paper tries to estimate within a reasonable number of full-wave simulations.

3.1. Note on the full-wave simulations

During the design phase of the RF Wien filter, around 63×10^6 mesh cells have been used in the simulation software. Each simulation required roughly 12 h on a GPU-based computing system. For a reliable MC simulation, 10^5 simulations would be required, corresponding to years of

computation time. Clearly this is not a feasible solution.³ Each individual simulation comprises four excitation ports, two on each side of the RF Wien filter. In fact, each port requires one full-wave simulation. This means, for each combination of the random input variables, four actual simulations are required to gather the field results. These four simulations ran in parallel on the GPU-cluster.

For the uncertainty analysis, the complexity of the electromagnetic model of the waveguide RF Wien filter has been reduced, ignoring therefore many details of the mechanical model, *e.g.*, support screws and their holding rings. The number of mesh cells has been reduced to 38×10^6 mesh cells. Moreover, the material properties of some components have been simplified; the vacuum vessel and the inner support tube do not affect the field quality and they can be safely changed from non-magnetic stainless steel to perfect electric conductors. Thereby, the number of mesh cells could be further decreased to 13×10^6 and the simulation time for one configuration was reduced to about 2.5 h.

As a validation criterion for the reduction of the number of mesh cells, $f_{E_L}^{int}$ and $f_{H_L}^{int}$ have been computed for both the fine- and the coarse-meshed models. The electric field homogeneity was reduced from $f_{E_L}^{int} = 4.15 \times 10^{-6}$ to 4.36×10^{-6} , while the magnetic field homogeneity increased from $f_{H_L}^{int} = 1.2 \times 10^{-5}$ to 1.18×10^{-5} , thus implying a relative variation of -0.05 and $+0.02$, respectively. The absolute variation of $f_{E_L}^{int}$ and $f_{H_L}^{int}$ for the fine and coarse mesh is about as large as the uncertainty of the unwanted field components picked up by an extended beam passing through the RF Wien filter when the low- β section is switched off, given in Table 3 of [1].

It should be noted that without such simplifications, an uncertainty analysis would not have been possible at all. Computation times of 2.5 h are also not very affordable (2.5 h is the pure solving time, which does not include the preparation phase for the simulations, *e.g.*, the meshing and the preparation of the material matrices). In total, it took more than 115 days to perform 10^3 simulations, which were carried out discontinuously, depending on the availability of the GPU-cluster.

4. Polynomial Chaos Expansion (PCE)

4.1. Introduction

Polynomial Chaos Expansion (PCE) is a spectral method that can describe randomness (*e.g.*, uncertainties) in stochastic dynamical systems in a Fourier-like series expansion. It was originally proposed by Norbert Wiener [7] and integrated into the finite-element method (FEM) by Ghanem and Spanos [8]. According to Wiener, Hermite polynomials are orthogonal with respect to Gaussian probability measures [9] in \mathcal{L}^2 -normed spaces. Hermite polynomials can therefore be used as basis functions to represent Gaussian random variables [10] by a set of *deterministic* coefficients. In principle, the theory is not restricted to Gaussian spaces, in fact, other polynomials can span non-Gaussian spaces, as described in [10].


4.2. System representation and calculation of coefficients

Fundamental for the PCE calculations is the so-called multi-index set. This is simply a multi-dimensional indexing scheme related to the multivariate Hermite polynomials. The multi-index set is represented as \mathbf{i} and is defined as

$$\mathcal{I}_{m,p} = \{\mathbf{i} = [i_1, \dots, i_m]; \|\mathbf{i}\| \leq p\} \quad (4)$$

p is the order of the polynomial (also called the expansion order), $\|\cdot\|$ is the \mathcal{L}^1 norm, explained in Appendix B. \mathbf{x} is the vector of all random

³ Although MC simulations can be parallelized, setting up our commercial software tool¹ on a supercomputer is expensive and would exceed the financial budget of the project.



(a) 1000 full-wave simulations showing the magnitude of the unwanted electric field $|\vec{E}_\perp|$ along the beam axis.

(b) 1000 full-wave simulations showing the magnitude of the unwanted magnetic field $|\vec{H}_\perp|$ along the beam axis.

Fig. 4. Low-order Monte-Carlo simulations showing the evaluation of $|\vec{E}_\perp|$ and $|\vec{H}_\perp|$ along the beam axis for a 10 kW input power. In the worst case, $|\vec{E}_\perp|$ does not exceed 150 V/m, while $|\vec{H}_\perp|$ does not exceed 1 A/m. The solid black line represents the ideal case, *i.e.*, with perfect alignment of all elements of the RF Wien filter and zero tolerances. (a) 1000 full-wave simulations showing the magnitude of the unwanted electric field $|\vec{E}_\perp|$ along the beam axis. (b) 1000 full-wave simulations showing the magnitude of the unwanted magnetic field $|\vec{H}_\perp|$ along the beam axis.

parameters that represent the possible uncertainties in the RF Wien filter, *i.e.*, $\mathbf{x} = \{x_1, x_2, \dots, x_{l_0}\}$, as collected in Table 1. \mathcal{Y} denotes the output of the system (also called the model response). \mathcal{Y} describes in fact the electric and magnetic field inhomogeneities.

For the PCE series to converge, it is necessary that \mathbf{x} be standardized. Standardization is a form of iso-probabilistic transformation that transforms an arbitrary random variable into a normally distributed one with zero mean and unity standard deviation. Thus, the input parameters x_i are transformed into the corresponding standardized random variables ξ_i . The stochastic spectral representation, expanding the model response \mathcal{Y} with an m -dimensional truncated PCE to the order p reads

$$\mathcal{Y} = \mathcal{M}(\boldsymbol{\xi}) = \sum_{i \in \mathcal{I}_{m,p}} \alpha_i \Psi_i(\boldsymbol{\xi}). \quad (5)$$

Here \mathcal{M} is called the meta-model and it denotes the solver used. In the analysis conducted by Ghanem and Spanos [8], \mathcal{M} was the finite-element method (FEM). But it can be in principle any solver such as the finite integration technique (FIT), as in the case of this work⁴. The α_i denote the (*deterministic*) expansion coefficients to be determined, Ψ_i are the basis functions (the multivariate chaos polynomials). The detailed computation of the homogeneous chaos basis functions is explained in Appendix A.

To compute the expansion coefficients, intrusive and non-intrusive approaches can be used. Intrusive methods alter the underlying code by introducing another form of discretization. This *stochastic* discretization converts the governing stochastic equation into a large system of linear equations. This technique is computationally fast, but altering code is often error-prone. In addition, the deterministic code may not be available, or may require many difficult analytical calculations. The other approach, the non-intrusive one, considers the (existing) deterministic code as a black-box. No changes of the code are required. It runs independently from the solver used in the deterministic code, which makes it an attractive option. The expansion coefficients are calculated having multiple calls to the deterministic code via *regression* or *projection*.

Projection requires the evaluation of expected values (integrals) and relies on the orthogonality of polynomials to compute the

coefficients in the form of

$$\alpha_i = \frac{\mathbf{E}\{\mathcal{Y}\Psi_i\}}{\mathbf{E}\{\Psi_i^2\}}. \quad (6)$$

Regression on the other hand computes the coefficients with the least-square minimization method. According to [3], regression leads to more accurate results and it is used in this work. Regression methods require the solution of a large system of linear equations (LLSE) and matrix inversion, as will be shown later.

Matrix inversion may fail. To avoid this case, a well-posed restriction is imposed on the LLSE, in the least-square sense. In terms of the PCE analysis, this restricts the lower bound on the costly lower number of full-wave deterministic simulations N as a rule of thumb must be at least 1.5 times the number of polynomials basis P calculated as the following permutations

$$P = \binom{m+p}{p} = \frac{(m+p)!}{m!p!}. \quad (7)$$

Rewriting Eq. (5) in matrix form, yields

$$\begin{bmatrix} \mathcal{Y}^1 \\ \mathcal{Y}^2 \\ \vdots \\ \mathcal{Y}^N \end{bmatrix} = \begin{bmatrix} \Psi_0(\boldsymbol{\xi}_1) & \dots & \Psi_0(\boldsymbol{\xi}_N) \\ \Psi_1(\boldsymbol{\xi}_1) & \dots & \Psi_1(\boldsymbol{\xi}_N) \\ \vdots & \ddots & \vdots \\ \Psi_{p-1}(\boldsymbol{\xi}_1) & \dots & \Psi_{p-1}(\boldsymbol{\xi}_N) \end{bmatrix}^T \cdot \begin{bmatrix} \alpha_1 \\ \alpha_2 \\ \vdots \\ \alpha_N \end{bmatrix}. \quad (8)$$

Eq. (8) must be solved for the electric and magnetic field inhomogeneities individually.

By using the regression method, and assuming N is large enough, the coefficients are calculated using the least-square estimation method (LSE), given by

$$\alpha_i = (\boldsymbol{\Psi} \cdot \boldsymbol{\Psi}^T)^{-1} \cdot \boldsymbol{\Psi} \cdot \mathcal{Y}. \quad (9)$$

The output of the full-wave simulations is expressed in terms of the electric and magnetic field homogeneities via \mathcal{Y}_E and \mathcal{Y}_H , respectively. \mathcal{Y} without any index refers to either of the two cases.

4.3. Sparse PCE

With high-dimensional problems (the number of uncertain variables $m \geq 10$), such as the RF Wien filter, classical-full rank PCE is not feasible in the sense that the number of full wave simulations is intolerably large. In this case, PCE theory does not provide any advantages compared to MC methods. This was the motivation to look

⁴ The deterministic code used in this work is the full wave simulator commercial software package, CST Microwave Studio. The simulations were executed on a dual-Xeon E5 CPU with 4 Tesla C2075 GPU with 448 CUDA cores each.

for a sparse version of PCE. Blatmann et al. [11] proposed a systematic methodology to build an adaptive sparse PCE. Blatmann proposed to select **only** a subset of the basis functions that have the highest effects on the system response and to reject the other functions using a two-step procedure, in particular, a hyperbolic truncation scheme followed by a least angle regression (LAR) algorithm [12]. In his dissertation, Blatman showed that sparse PCE can still produce accurate meta-models but with much less complexity.

The PCE series shown in Eq. (5) is truncated⁵ up to a finite order p . The *hyperbolic truncation scheme* [13], implements an additional truncation scheme on the already p -truncated series by eliminating the basis functions with the highest order of interaction, as clarified in Appendix C. In [14], an *interaction* is formally defined as the “Existence of joint factor effects in which the effect of each factor depends on the levels of the other factors”, while a *factor* is defined as “A controllable experimental variable that is thought to influence the response”. According to the so-called *sparsity-of-effects principle*, the low-order interactions monumentally dominate the high-order ones. This concept is implemented in the PCE equations by manipulating the multi-index set in Eq. (4). Altering the multi-index set clearly changes Eq. (5) and the subsequent ones. The new hyperbolically-truncated multi-index set is referred to as $\mathcal{I}_{m,p,q}$. The new term in \mathcal{I} defines the so-called ‘ q -norm’, a quantity explained in Appendix C. It defines a quasi-norm in the ‘probability space’, as the probability space is also a metric space. The ‘ q -norm’ is selected between 0 and 1, with 1 being not truncated.

Next, a method used in machine learning, the *least-angle regression* method (LAR), is employed in the context of PCE. LAR employs a routine of iterating over the remaining chaos basis functions to select the set that has the highest influence on the model response. The basis will be *filtered* according to their contribution to the system response regardless of their order of interaction. The LAR algorithm was originally proposed by Efron [12], while [15] is a descent of the least-square regression method used to solve LLSE. The LAR algorithm is not used to compute the chaos expansion coefficients but to select the basis functions. Then, the LSE is used to compute the coefficients. The resulting LAR truncated multi-index set is referred to as $\mathcal{I}_{m,p,q}^*$. Executing the LAR algorithm results in a number of solutions (many possible basis functions sets). The selected LAR model chosen that yields the minimum leave-one-out error L_{oo} is explained later. The coefficients are then calculated using the ordinary LSE regression. If the L_{oo} does not reach the required threshold accuracy, new samples are added and the algorithm is repeated. The algorithm chart is detailed in ([16]).

4.4. Cross-validation

Cross-validation is a technique employed to assess the quality of the PCE meta-model. The basic idea is to decompose the (input/output) data into K sets. $K - 1$ sets are used to build the fit model and the error is calculated by predicting the remaining set not included in the fitting calculations. This method is called the K -fold cross-validation technique [15]. When K equals the cardinality of the design of experiment N , the validation method is called the leave-one-out cross-validation (LOOCV). The implemented algorithm selects a single instance ξ^k from the input set and computes the meta-model of the remaining set, i.e., $\mathcal{M}(\xi - \{\xi^k\}) = \mathcal{Y}^k$. The algorithm iterates over each of the sets and the leave-one-out error is calculated according to

$$e_{rr,LOO} = \frac{1}{N} \sum_{k=1}^N (\mathcal{Y} - \mathcal{Y}^k)^2$$

A reliable PCE meta-model requires a leave-one-out error $e_{rr,LOO}$ in the order of 10^{-2} [17].

⁵ Any expansion implemented on a computer is actually truncated.

5. Results

The 10-dimensional input data were generated using a quasi-random scheme, called the **nested** latin hypercube sampling (NLHS). Firstly, latin hypercube sampling (LHS) is an efficient sampling scheme proposed by McKay [18] that offers better representation of the input data compared to MC-based sampling methods [19]. It offers similar performance compared to MC-based schemes in the sense that the latter requires a larger number of samples and consequently a larger number of simulations to provide the same quality as the LHS. The nested LHS (NLHS) allows the initial size of the design of experiment to be increased in order to fulfill the $e_{rr,LOO}$. One does not know in advance how many simulations must be performed in order to build a reliable statistics. It is probable (as in this paper) that the number of simulations must be increased to meet the cross-validation conditions. The NLHS is one validated method [16] to do this.

At first, 100 full wave simulations have been carried out, then the number of simulations was increased to 300, until the leave-one-out error threshold has been reached. A q -norm q of 0.4 has been selected, as suggested in [19]. The PCE expansion was truncated at the $p = 11$ th-order. Applying the LAR algorithm results in 300 meta-models with the coefficients for the electric and magnetic fields, respectively, shown in Fig. 5. On each set of LAR coefficient the leave-one-out cross-validation is performed and the meta-model with the lowest value is select to be the optimum solution as shown by the dashed red vertical lines in Fig. 5. For the electric field, only 55 basis functions are used to produce a final $e_{rr,LOO} = 0.0264$, while for the magnetic field 84 basis functions were computed to provide a $e_{rr,LOO} = 0.0452$. This means that in total 168 full-wave simulations would be sufficient to produce a Monte-Carlo equivalent result. With the optimum meta-model in hand, the new, LAR-based, multi-index set $\mathcal{I}_{m,p,q}^*$ is calculated and consequently the basis functions Ψ are constructed. The expansion coefficients can be easily computed by applying Eq. (9).

The probabilistic performance of the RF Wien filter is shown in Fig. 6. These are not the probability distributions; the results were fitted with a Gaussian distribution with arbitrary mean values and standard deviations, and the parameters are summarized in Table 2. The magnetic field undergoes much faster and stronger variations than the electric field. This is clearly obvious from Fig. 4. As a result, the values of the homogeneity integrals for the magnetic field will be more difficult to detect and to estimate. The number of basis functions to span the variation of the magnetic field was higher. Even in Fig. 6, the electric field fits better to the 1000 simulations than the magnetic field.


According to the results of the PCE simulations (see Table 2), the electric field maintains a high field homogeneity compared to the ideal (no-uncertainty) model. However, the magnetic field seems to be more sensitive to mechanical variations by about a factor of 10 than the electric field.

6. PC-based sensitivity analysis

To conclude this analysis, a sensitivity analysis is indispensable, which will allow us to identify the most influential parameters on the performance of the device. The results may be used by the mechanical engineers during the assembling of the RF Wien filter.


The basic idea is to decompose the variance of the output (\mathcal{Y}_E and \mathcal{Y}_H) as a function of the contribution of each variable and possibly their combination. This is called the ANalysis Of VAriance, or ANOVA. The independence of the random input variables and the orthonormality of the PCE, permits the direct computation of one known sensitivity scheme, called the Sobol sensitivity via the Sobol decomposition at zero-cost [20]. Zero-cost means that no additional computation is required. The PC coefficients can be used directly.

If \mathcal{Y} is the *total* output, then \mathcal{Y}_{ξ_i} denotes the output produced by the



(a) Estimated coefficients (vertical cuts) for each meta-model of the electric field homogeneity \mathcal{Y}_E , created by the least-angle regression algorithm. On the horizontal axis, the iteration number is shown. The optimum coefficients set is shown by the vertical cut of the red-dashed vertical line with respect to the leave-one-out cross validation. (b) Estimated coefficients (vertical cuts) for each meta-model of the magnetic field homogeneity \mathcal{Y}_H , created by the least-angle regression algorithm. On the x -axis, the iteration number is shown. The optimum coefficients set is shown by the vertical cut of the red-dashed vertical line with respect to the leave-one-out cross validation.

Fig. 5. The sparsity of the PCE depends on the least-angle regression algorithm which produces multiple meta-models for the electric and magnetic field homogeneities. The selected meta-model will be used to rebuild the multi-index set and then select the basis functions. (a) Estimated coefficients (vertical cuts) for each meta-model of the electric field homogeneity \mathcal{Y}_E , created by the least-angle regression algorithm. On the horizontal axis, the iteration number is shown. The optimum coefficients set is shown by the vertical cut of the red-dashed vertical line with respect to the leave-one-out cross validation. (b) Estimated coefficients (vertical cuts) for each meta-model of the magnetic field homogeneity \mathcal{Y}_H , created by the least-angle regression algorithm. On the x -axis, the iteration number is shown. The optimum coefficients set is shown by the vertical cut of the red-dashed vertical line with respect to the leave-one-out cross validation. (For interpretation of the references to color in this figure caption, the reader is referred to the web version of this paper.)



(a) Estimated statistical distribution of the electric field homogeneity $\hat{\mathcal{Y}}_E = f_{E_{\perp}}^{\text{int}}$ calculated using the sparse generalized PCE method with an expansion order 12 fitted to a Gaussian distribution. 10^4 samples of the PC basis have been used for the construction of the distribution. The result of fitting the low-order MC \mathcal{Y}_E with a Gaussian distribution is displayed as well. (b) Estimated statistical distribution of the magnetic field homogeneity $\hat{\mathcal{Y}}_H = f_{H_{\perp}}^{\text{int}}$ calculated using the sparse generalized PCE method with an expansion order 12 fitted to a Gaussian distribution. 10^4 samples of the PC basis have been used for the construction of the distribution. The result of fitting the low-order MC distribution \mathcal{Y}_H with a Gaussian distribution is also shown.

Fig. 6. Comparison of the statistical distribution of the estimated homogeneities of the electric and magnetic field computed using the sparse PCE and the low-order MC method. The quantitative results are summarized in Table 2. (a) Estimated statistical distribution of the electric field homogeneity $\hat{\mathcal{Y}}_E = f_{E_{\perp}}^{\text{int}}$ calculated using the sparse generalized PCE method with an expansion order 12 fitted to a Gaussian distribution. 10^4 samples of the PC basis have been used for the construction of the distribution. The result of fitting the low-order MC \mathcal{Y}_E with a Gaussian distribution is displayed as well. (b) Estimated statistical distribution of the magnetic field homogeneity $\hat{\mathcal{Y}}_H = f_{H_{\perp}}^{\text{int}}$ calculated using the sparse generalized PCE method with an expansion order 12 fitted to a Gaussian distribution. 10^4 samples of the PC basis have been used for the construction of the distribution. The result of fitting the low-order MC distribution \mathcal{Y}_H with a Gaussian distribution is also shown.

random variable ξ_i . Rewriting Eq. (5) as a function of terms of the variable ξ_i gives

$$\mathcal{Y}_{\xi_i} = \mathcal{M}(\xi_i) = \sum_{i \in \mathcal{I}_{\xi_i}} \alpha_i \Psi_i(\xi). \tag{10}$$

Here \mathcal{I}_{ξ_i} is the multi-index set of the variable ξ_i , i.e., the i^{th} term in the

multi-index row is non-zero. Therefore, to characterize the output related to the ξ_i or any of its combinations, all that is required is the PC coefficients. If \hat{D} denotes the variance of the estimated output $\hat{\mathcal{Y}}$, the partial variances corresponding to the random input variables are denoted as $\hat{D}_{\xi_1, \dots, \xi_{10}}$. In this case, the total and partial variances are calculated, respectively, as

Table 2
Mean and standard deviations of the PCE and MC-based system response for $f_{E_L}^{\text{int}}$ and $f_{H_L}^{\text{int}}$.

	Mean μ	Width σ
$\mathcal{Y}_E^{(\text{MC})}$	$(2.03 \pm 6.81) \times 10^{-5}$	$(4.95 \pm 0.96) \times 10^{-4}$
$\hat{\mathcal{Y}}_E^{(\text{PCE})}$	$(2.39 \pm 6.60) \times 10^{-5}$	$(4.87 \pm 0.93) \times 10^{-4}$
$\mathcal{Y}_H^{(\text{MC})}$	$(1.54 \pm 0.23) \times 10^{-4}$	$(3.22 \pm 0.04) \times 10^{-3}$
$\hat{\mathcal{Y}}_H^{(\text{PCE})}$	$(1.91 \pm 0.38) \times 10^{-4}$	$(3.08 \pm 0.06) \times 10^{-3}$




Fig. 7. Sobol sensitivity of the electric and magnetic field homogeneity to the design parameters of the waveguide RF Wien filter. (For interpretation of the references to color in this figure caption, the reader is referred to the web version of this paper.)

$$\hat{D} = \sum_{i \in \mathcal{I} - \{0\}} \alpha_i^2, \quad \text{and} \quad \hat{D}_{\xi_i} = \sum_{i \in \mathcal{I}_{\xi_i}} \alpha_i^2. \tag{11}$$

Finally, the Sobol indices corresponding to the parameters ξ_i are calculated according to

$$\hat{S}_{\xi_i} = \frac{\alpha_i^2}{\hat{D}}; \quad \{ \mathcal{I}_{\xi_i} = i \in \mathcal{I}: i_{\xi_i} > 0, i_{\xi_i \neq \xi_j} = 0 \}. \tag{12}$$

Only the first order Sobol indices are shown; they constitute 97% of the total contribution over the higher order indices, as can be seen in Fig. 7. The results of evaluating Eq. (12) for the electric and magnetic fields are shown, respectively, by the blue and yellow bars in Fig. 7. On the x-axis, the uncertain parameters, i.e., ξ_1, \dots, ξ_{10} are shown. Within the ± 0.1 mm manufacturing uncertainty and according to the PCE simulations, the most influential variables on the electric field homogeneity are $\xi_1, \xi_2, \xi_5, \xi_7$, and ξ_8 . The tolerances in the electrodes lengths, ξ_1 and ξ_2 , are responsible for 5%–10% deviation of the field homogeneity from the mean value. Because \hat{S}_{ξ_1} and \hat{S}_{ξ_2} have different levels, this implies that the electrode displacement contributes to the performance. The widths of the plates does not have a noticeable influence on the homogeneity of the electric field. The rotation of the upper electrode with respect to the xy -plane has the highest sensitivity value (62%). ξ_6 also represents the rotation of the second electrode with respect to the xy -plane but with minimum effect. Electrode misalignments and the rotation of the ferrite structure in the xz -plane contribute by up to 20%.

The ferrites, due to their high magnetic permeability μ value, flatten the magnetic field lines inside the RF Wien filter. At the corresponding frequencies, the ferrites have a larger impact on the magnetic field than on the electric field. The Sobol index is expected to be high for the values related to the ferrites. The sensitivity analysis for the magnetic field shows that ξ_9 is the most important one, reaching a value of 85%. The parameter ξ_9 represents the rotational misalignment of the ferrite structure in the xy -plane. If the angular alignment of the ferrite

structure could be improved by about a factor of 3 from 1 mrad to 0.3 mrad, a substantial improvement of the standard deviation of H_L is to be expected. The rotation of the electrodes in the xy -plane, as well as in the xz -plane affect slightly the standard deviation of H_L by about 10%. H_x is the main source of parasitic magnetic field, though it is very small compared to the main field, it does not cancel out when integrating along the longitudinal axis, but rather accumulates.

Similar variables, e.g., ξ_5 and ξ_6 , that represent the same physical quantity, should not necessarily possess the same Sobol sensitivities (see Fig. 7). The electromagnetic effect of a rotation of the upper and lower electrode is exactly the same because parallel-plate waveguides are symmetrically invariant with respect to the xy -plane. When modeling the uncertainties, ξ_5 and ξ_6 for instance, are allowed to vary independently within their error margins [and the same is true for the other pairs (ξ_1, ξ_2) , (ξ_3, ξ_4) , and (ξ_7, ξ_8)]. In this way, a misalignment (breaking of parallelism) of the electrodes in the xy -plane can be modeled using only two variables. The stochastic independence of ξ_5 and ξ_6 makes sure that the electromagnetic response from the two electrodes is different, unless the electrodes are *identical*. However, if ξ_5 and ξ_6 take the same values, this means that the parallelism is conserved and the variables must have the same Sobol sensitivities. Fig. 7 emphasizes that parallelism is the major factor in preserving the electric field.

7. Conclusion and outlook

This paper presents an application on sparse and non-intrusive Polynomial Chaos Expansion (PCE) as a low-cost calculation method of the electromagnetic field quality of the novel RF Wien filter. The sparse PCE basis functions were built by first using the hyperbolic truncation scheme to exclude the higher-order basis functions out of the full PCE basis. Then, with the help of the least-angle regression (LAR) algorithm, only the *most influencing* basis functions were selected, reducing therefore the number of required full-wave simulations. The LAR algorithm generates many possible solutions. By applying the leave-one-out cross-validation (LOOCV), the best of these basis functions were kept. The expansion coefficients were then calculated using the ordinary least-squares regression method. Therefore, the combination of different techniques namely, PCE, LAR and LOOCV, must be used *together* in order to provide an accurate and low-cost framework for the quantification of uncertainties.

The fabrication and assembly limitations of the electrodes and the ferrite structure have been modeled and were evaluated as a function of the homogeneities of the electric and magnetic field. Because of the high-dimensionality of the problem, a sparse version of PCE has been used based on the least-angle regression method. The results were compared to low-order MC simulations, and a very good agreement between the two techniques was found. The influence of the individual parameters on the performance has been quantified based on the Sobol-sensitivity analysis.

It has been found that the parallelism of the electrodes in the xy -plane is the most crucial parameter that influences the performance of the electric field. The alignment of the ferrite structure in the xy -plane was the dominant factor for the magnetic field. We do not have measurement nor simulation results in order to decide in favor of a better field homogeneity of the electric or the magnetic field. After the first EDM experiments with the RF Wien filter in 2017, we will see whether the present design criteria should be altered. For example, flat electrodes provide a more homogeneous magnetic field compared to the electric field by about a factor of 11.

The PCE theory can be applied to many problems in high-precision experiments, for which an accurate specification of uncertainties is required. Examples include, but are not limited to the performance analysis of the designs of highly-accurate BPMs, the influence of the position of dipoles and quadrupoles on the spin-precession in storage rings.

Acknowledgments

This work has been performed in the framework of the JEDI

collaboration (Jülich Electric Dipole moment Investigations), and is supported by an ERC Advanced-Grant of the European Union (proposal number 694340).

Appendix A. Building the homogeneous chaos basis

In closed form, the 1D Hermite polynomials $\psi_n(\xi)$ are defined as

$$\psi_n(\xi) = (-1)^n \exp\left(\frac{\xi^2}{2}\right) \frac{d^n}{d\xi^n} \left[\exp\left(-\frac{\xi^2}{2}\right) \right]. \tag{A1}$$

With respect to the inner product in \mathcal{L}^2 -normed Hilbert spaces, Hermite polynomials $\psi_n(\xi)$ are orthogonal with respect to the Gaussian measure, *i.e.*,

$$\langle \psi_n(\xi) \psi_m(\xi) \rangle = \frac{1}{\sqrt{2\pi}} \int_{-\infty}^{\infty} \psi_n(\xi) \psi_m(\xi) f_{\xi} d\xi = \delta_{mn} \langle \psi_n^2(\xi) \rangle.$$

Here f_{ξ} denotes the normal probability density function.

In most cases, when more than one variable is involved, the multi-dimensional polynomial basis is required. The multidimensional Hermite polynomials are constructed using the tensor product of the 1D Hermite polynomials, via

$$\Psi = \prod_i \psi_i.$$

Here i is called the **multi-index** set (also known as tuplets); it indicates the degree of the polynomial in each of the input variables. An example of a multi-index set is located on the leftmost column of [Table A3](#). For instance, (1, 0) implies that the first parameter is elevated to the first order and the second to the zeroth level and so on.

Appendix B. Example

To further facilitate the understanding of the basic theory, in this section a simple example is provided.

Consider the function y , defined as

$$y = \sin(x). \tag{B1}$$

This function may represent the unknown dynamical behavior of an unknown system. Now, the dependent variable x is not deterministic, but varies stochastically according to some distribution, say a Gaussian one. The output will then also be a stochastic variable. To build the statistics of the output, classically a Monte-Carlo simulation is conducted. Because the analytic form of the dynamics of the system is given, the performance of the PCE can be evaluated against the input analytic solution.

The blue line in [Fig. B8](#) shows the analytical solution. 10 *random* sample points are created and the corresponding output is drawn (the red crosses in [Fig. B8](#)). With the input and output data being present, the PCE meta-model can be constructed. As the input is a Gaussian distributed random variable, the Hermite polynomials are used to surrogate the analytical model. [Fig. B8](#) shows the performance of the PCE with respect to the expansion order with a constant sampling of 10 points. A 2nd order expansion was clearly not sufficient to reconstruct the model response, while with the 4th order expansion, the PCE could reproduce the model within the range of the sample points, but not outside this range. On the other hand, increasing the expansion order to the 5th allowed the PCE to replicate the exact model even outside the sample range but not at the edges of the function. The meta-model does have enough polynomials to predict the full response. Finally, the 8th order PCE is capable to fully reconstruct the response.

On a probabilistic basis, the statistical distributions of the output is the main criterion to consider. With a sample of 36 random points and an expansion fraction of 8, the probability density function and the cumulative density functions samples are shown in [Fig. B9](#) [labels (a) and (b)], respectively. A very good congruence can be noticed proving that the PCE theory can be used to accurately surrogate models with a good accuracy.

Appendix C. PCE truncation

Practically, PCE cannot extend to infinity and normally, the expansions are truncated to a degree p (PC expansion order). In terms of the multi-index set \mathcal{I} , it is expressed in terms of dimensionality of the problem m and the expansion order p as $\mathcal{I}_{m,p}$, defined as follows:

Table A3
2D PCE parameters.

n	p	$n^{\text{th}} \psi_n$	i
0	0	1	(0,0)
1	1	ξ_1	(1,0)
2	1	ξ_2	(0,1)
3	2	$\xi_1^2 - 1$	(2,0)
4	2	$\xi_1 \xi_2$	(1,1)
5	2	$\xi_2^2 - 1$	(0,2)




Fig. B8. The sine function is sampled with 10 points. Increasing the PCE order, increases the fit quality. (For interpretation of the references to color in this figure caption, the reader is referred to the web version of this paper.)

$$\mathcal{I}_{m,p} = \{i \in \mathbb{N}^M : \|i\|_1 \leq p\}, \tag{C.1}$$

where $\|\cdot\|_1$ is the 1-norm. Now, to eliminate the higher order interactions, a new form of distance is defined and applied on the multi-index set $\mathcal{I}_{m,p}$, called the q -norm $\|\cdot\|_q$, which modifies the $\|\cdot\|_1$ by

$$\|\cdot\|_q = \left(\sum^m (\cdot)^q \right)^{1/q}. \tag{C.2}$$




Fig. B9. Probabilistic comparison between MC and PCE. (a) The estimated probability density function (PDF) f_y of both Monte-Carlo simulation and PCE. (b) The estimated cumulative probability density function (CDF) F_y of both Monte-Carlo simulation and PCE.




Fig. C10. Hyperbolic basis truncation with different q -norms. As the q -norm decreases, The basis cardinality decreases. The red dots represent the full basis elements and the blue crosses indicates the selected (remaining) basis elements. (For interpretation of the references to color in this figure caption, the reader is referred to the web version of this paper.)

The new hyperbolic multi-index set is denoted by $\mathcal{I}_{m,p,q}$ and becomes

$$\mathcal{I}_{m,p,q} = \{i \in \mathbb{N}^m : \|i\|_q \leq p\} \tag{C.3}$$

$$= \left\{ i \in \mathbb{N}^m : \left(\sum_{i=1}^m i_i^q \right)^{1/q} \leq p \right\}. \tag{C.4}$$

A graphical representation of the hyperbolic truncation scheme set can be found in Fig. C10 with a q -norm varying from 0.8 to 0.4. The higher order interactions are taken out gradually. The polynomial terms selected for the first random variable are located on the horizontal axis, while on the vertical axis the corresponding terms of the second variables are shown. If blue dots on the outer layer are connected, the shape resembles a hyperbola, hence the name hyperbolic truncation.

Appendix D. The least angle regression algorithm

The least angle regression (LAR) method is a statistical tool heavily used in machine learning and estimation theory. The LAR is a descendant of the least absolute shrinkage and selection operator method known as the (LASSO). In comparison to the full PCE, LAR-based PCE is much more difficult to implement, but in total it saves a large amount of time. With a large number of input variables $m=10$, the full PCE requires a large number of full wave simulations which is not feasible. In a similar approach conducted by Blatman et al. [11], the LAR-PCE based method has been implemented here with the following steps:

1. Set the coefficient to zero and set the residual $R = \mathcal{Y} - \widehat{\mathcal{Y}}$.
2. Find the vector (basis polynomial) Ψ_{i_j} that is most correlated with the residual R .
3. Move the corresponding coefficient a_{i_j} from 0 to $\Psi_{i_j}^T R$ until another polynomial Ψ_{i_k} has stronger correlation with the residual.
4. Move a_{i_j} and a_{i_k} in the direction defined by their joint least square coefficient on the current residual of (Ψ_{i_j}, Ψ_{i_k}) until some other basis has more correlation with the current residual.
5. Continue until the P basis (also known as predictors) have been entered.




Fig. D11. Applying the least-angle regression LAR to the hyperbolically truncated basis set. The order of the model is further decreased with the LAR algorithm. The red dots represent the full basis elements and the blue crosses indicate the selected (remaining) basis elements. (For interpretation of the references to color in this figure caption, the reader is referred to the web version of this paper.)

When applying the LAR algorithm on the magnetic field homogeneity, the selected basis functions \mathcal{Y}_H are shown in Fig. D11. It is clear that very few polynomials have been considered in the field calculations which require much smaller number of full-wave simulations.

References

- [1] J. Slim, R. Gebel, D. Heberling, F. Hinder, D. Hölscher, A. Lehrach, B. Lorentz, S. Mey, A. Nass, F. Rathmann, L. Reifferscheidt, H. Soltner, H. Straatmann, F. Trinkel, J. Wolters, Electromagnetic Simulation and Design of a Novel Waveguide {RF} Wien Filter for Electric Dipole Moment Measurements of Protons and Deuterons, Nucl. Instrum. Methods Phys. Res. Sec. A: Accel. Spectrom. Detectors Assoc. Equip. 828 (2016) 116–124. <http://dx.doi.org/10.1016/j.nima.2016.05.012>.
- [2] J. Simmonds, J. Mann, A. First, Look at Perturbation Theory, Dover Books on Physics, Dover Publications, Mineola, New York, USA, 2013.
- [3] P. Offermann, H. Mac, T.T. Nguyen, S. Clenet, H.D. Gersem, K. Hameyer, Uncertainty quantification and sensitivity analysis in electrical machines with stochastically varying machine parameters, IEEE Trans. Magn. 51 (3) (2015) 1–4. <http://dx.doi.org/10.1109/TMAG.2014.2354511>.
- [4] A. Adelmann, On Uncertainty Quantification in Particle Accelerators Modelling (2015) arXiv:1509.08130.
- [5] J. Slim, D. Heberling, Towards a High-Accuracy RF Wien Filter for Spin Manipulation at COSY Jülich, PoS PSTP2015 (2015) 033, available from URL <http://pos.sissa.it/cgi-bin/reader/conf.cgi?confid=243>.
- [6] H. Straatmann, private communication, Central Institute of Engineering and Analytics (ZEA), Forschungszentrum Jülich GmbH, 52428 Jülich, Germany, <http://www.fz-juelich.de/zea> (2016).
- [7] N. Wiener, The homogeneous chaos, Am. J. Math. 60 (4) (1938) 897–936 available from <http://www.jstor.org/stable/2371268>.
- [8] R.G. Ghanem, P.D. Spanos, Stochastic Finite Elements: A Spectral Approach, Springer-Verlag New York, Inc., New York, NY, USA, 1991.
- [9] R. Ash, C. Doléans-Dade, Probability and Measure Theory, Harcourt/Academic Press, San Diego, California, USA, 2000.
- [10] D. Xiu, G.E. Karniadakis, The wiener-asky polynomial chaos for stochastic differential equations, SIAM J. Scient. Comput. 24 (2) (2002) 619–644. <http://dx.doi.org/10.1137/S1064827501387826> arXiv:10.1137/S1064827501387826.
- [11] G. Blatman, B. Sudret, An adaptive algorithm to build up sparse polynomial chaos expansions for stochastic finite element analysis, Probab. Eng. Mech. 25 (2) (2010) 183–197.
- [12] B. Efron, T. Hastie, I. Johnstone, R. Tibshirani, Least angle regression, Ann. Statist. 32 (2) (2004) 407–499. <http://dx.doi.org/10.1214/00905360400000067>.
- [13] G. Blatman, B. Sudret, Adaptive sparse polynomial chaos expansion based on least angle regression, J. Comput. Phys. 230 (6) (2011) 2345–2367.
- [14] R.L. Mason, R.F. Gunst, J.L. Hess, Statistical Design and Analysis of Experiments: With Applications to Engineering and Science, Second edition, John Wiley and Sons, Inc., Hoboken, New Jersey, USA, 2003. <http://dx.doi.org/10.1002/0471458503>.
- [15] T. Hastie, R. Tibshirani, J. Friedman, The Elements of Statistical Learning: Data Mining, Inference, and Prediction Springer Series in Statistics, Second edition, Springer, New York, USA, 2009.
- [16] W. Yu, W. Li, A. Elsherbeni, Y. Rahmat-Samii, Advanced Computational Electromagnetic Methods Artech House Antennas and Electromagnetics Analysis Library, Artech House Publishers, Norwood, Massachusetts, USA, 2015.
- [17] B. Sudret, A. Der Kiureghian, Stochastic finite element methods and reliability: a state-of-the-art report, Department of Civil and Environmental Engineering, University of California, New York, USA, 2000.
- [18] M.D. McKay, R.J. Beckman, W.J. Conover, Comparison of three methods for selecting values of input variables in the analysis of output from a computer code, Technometrics 21 (2) (1979) 239–245. <http://dx.doi.org/10.1080/00401706.1979.10489755>.
- [19] G. Blatman, Adaptive sparse polynomial chaos expansions for uncertainty propagation and sensitivity analysis (Ph.D. thesis), Université Blaise Pascal - Clermont-Ferrand II (2009).
- [20] G. Deman, K. Konakli, B. Sudret, J. Kerrou, P. Perrochet, H. Benabderrahmane, Using sparse polynomial chaos expansions for the global sensitivity analysis of groundwater lifetime expectancy in a multi-layered hydrogeological model, Reliab. Eng. Syst. Saf. 147 (2016) 156–169. <http://dx.doi.org/10.1016/j.res.2015.11.005>.